



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/730,759

12/08/2003

Philip H. Mellor

130209.491

3454

500

7590

05/26/2006

SEED INTELLECTUAL PROPERTY LAW GROUP PLLC  
701 FIFTH AVE  
SUITE 6300  
SEATTLE, WA 98104-7092

EXAMINER

PRESTON, ERIK D

ART UNIT

PAPER NUMBER

2834

DATE MAILED: 05/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/730,759

Applicant(s)

MELLOR ET AL.

Examiner

Erik D. Preston

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 30 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 2-6, 8, 9, 11, 14-17 and 26-38 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2-6, 8, 9, 11, 14-17 and 26-38 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/30/2006 has been entered.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 15-17, 26 & 32-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Steem (US 4139790).


With respect to claims 15, 26 & 32, Steem teaches an electric machine comprising: A stator (as seen in Fig. 3, #14); and a rotor (Fig. 9, #93) mounted for rotation with respect to the stator, the rotor core comprising a number of magnetic slots (Fig. 9, #101 & 102) each slot comprising opposed end portions (Fig. 9, #117) and a central portion disposed between the end portions, the central portion of each of the magnet slots shaped to complementarily receive a magnet, the opposed end portions separated from the central portion by portions of the rotor that protrude at least partially

Art Unit: 2834

into the slot (as seen in Fig. below); a number of magnets (Fig. 9, #103) complementarily received in the central portions of the magnet slots of the rotor; and a load absorbing material filling at least a portion of each of the end portions of the magnet slots, the permanent magnet being substantially, laterally restrained in the slot by the portion of the rotor that protrudes at least partially into the slot.

With respect to claim 16, Steem teaches the machine of claim 14, wherein the end portions of the magnet slots have a width greater than a width of the central portion of the magnet slots (as seen in Fig. 9).

With respect to claim 17, Steem teaches the machine of claim 15, wherein the end portions of the magnet slots are substantially bulbous-shaped (as seen in Fig. 9).



With respect to claims 33 & 34, Steem teaches the machine of claims 15 & 26 wherein the portions of the rotor that protrude at least partially into the slot comprise notches.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 2-6,8,9,11,14,15,26-31 & 35-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kliman (US 5159220 previously cited) in view of Steem (US 4139790).

With respect to claims 8,35 & 36, Kliman teaches a stator (Col. 8, Lines 28-30); and a rotor core (Fig. 1, #10) extending in a longitudinal and radial direction, the rotor core mounted for rotation around a longitudinal axis with respect to the stator and, the rotor core comprising a number of magnetic slots (Fig. 4, #52) wherein the magnet slots are arranged to be substantially perpendicular with the radial direction (they extend in the axial direction), and at least one-non-magnetic structure formed at a rotor core internal location proximate to an expected pole location of a magnet emplaced in the magnet slot (Fig. 4, #14A-D); a filler forming at least a part of the at least one non-magnetic structure (as seen in Fig. 4), at least some of the filler located in the magnet slot, wherein the filler comprises epoxy (Col. 5, Lines 32-40), but it does not teach each of the number of the magnet slots segmented by a portion of the rotor core that protrudes at least partially into the magnet slot. However, Steem teaches a rotor core (Fig. 9, #93) with a number of magnets (Fig. 9, #103) held between a non-magnetic filler (Fig. 9, #117) wherein each of the number of the magnet slots are segmented by a

portion of the rotor core that protrudes at least partially into the magnet slot (as seen in the Fig. above, and as described in Col. 8, Lines 45-47). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the magnet slot of Kliman in view of the protrusion as taught by Steem because it provides a means for locating the magnets within the magnet slot (Steem, Col. 8, Lines 45-47).

With respect to claim 2, Kliman in view of Steem teaches the electric machine of claim 8, wherein each of the magnet slots comprises a portion having a shape in complimentary to a shape of at least a portion of the magnet.

With respect to claim 3, Kliman in view of Steem teaches the electric machine of claim 2, wherein the portion of the magnetic slot having a complimentary shape is elongated (as seen in Kliman Fig. 1 & Steem Fig. 9).

With respect to claims 4 & 37, Kliman in view of Steem teaches the electric machine of claims 8 & 35, and Kilman teaches that the at least one non-magnetic structure formed at a rotor core internal slot location proximate to an expected pole location of a magnet (Fig. 4, #14A-D) emplaced in the magnet slot comprises an end of the magnet slot abutting at least one non-magnetic region having a width in excess of a width of the magnet slot where at least a portion of the magnetic slot is substantially magnet shaped (as seen in Fig. 4).

With respect to claims 5 & 38, Kliman in view of Steem teaches the electric machine of claims 4 & 37, wherein the at least one non-magnetic region having a width in excess of a width of the magnet slot comprises a substantially bulbous region (as seen in Kliman Fig. 4 & Steem Fig. 9).

With respect to claim 6, Kliman in view of Steem teaches the electric machine of claim 5, and Steem teaches that the portion of the rotor core that protrudes at least partially into the magnet slot is disposed between a substantially linear portion of the magnet slot and the substantially bulbous region (as seen in Fig. 9).

With respect to claim 9, Kliman in view of Steem teaches the electric machine of claim 8, further comprising: A number of permanent magnets, each of the permanent magnets disposed within a respective one of the magnet slots.

With respect to claim 11, Kliman in view of Steem teaches the electric machine of claim 9, further comprising: A number of non-magnetic wedges (Kliman Fig. 4 & Steem Fig. 9), each non-magnetic wedge disposed adjacent to a respective one of the permanent magnets to establish a movement resistant friction-fit between the permanent magnet and the magnet slot.

With respect to claim 28, Kliman in view of Steem teaches the electric machine of claim 8, and Steem teaches that at least one of the number of the magnet slots includes a cavity formed at the first end on the magnet slot, and where the cavity is separated from a remaining portion of the magnet slot by the portion of the rotor core that protrudes at least partially into the magnet slot (as seen in Fig. 9).

With respect to claim 29, Kliman in view of Steem teaches the electric machine of claim 28, wherein the cavity is a bulbous shaped cavity.

With respect to claim 30, Kliman in view of Steem teaches the electric machine of claim 8, and Steem teaches that the portion of the rotor core that protrudes at least

partly into the magnet slot abuts a first end of the magnet that is located in the magnet slot (as seen in Fig. 9).

With respect to claim 31, Kliman in view of Steem teaches the machine of claim 8, and Steem teaches that the portion of the rotor core that protrudes at least partially into the magnet slot comprises a notch.

With respect to claim 15, Kliman teaches an electric machine comprising: A stator (Col. 8, Lines 28-30); and a rotor (Fig. 1, #10) mounted for rotation with respect to the stator, the rotor core comprising a number of magnetic slots (Fig. 1, #15A-D) each slot comprising opposed end portions and a central portion disposed between the end portions, the central portion of each of the magnet slots shaped to complementarily receive a magnet; a number of magnets complementarily received in the central portions of the magnet slots of the rotor; and a load absorbing material filling at least a portion of each of the end portions of the magnet slots, but it does not teach the opposed end portions separated from the central portion by portions of the rotor that protrude at least partially into the slot. However, Steem teaches opposed end portions separated from the central portion by portions of the rotor that protrude at least partially into the slot (as seen in the Fig. above). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the magnet slot of Kliman in view of the protrusion as taught by Steem because, as was stated above, it provides a means for locating the magnets within the magnet slot (Steem, Col. 8, Lines 45-47).



With respect to claim 14, Kliman in view of Steem teaches the electric machine of claim 15, Kliman teaches that wherein the load absorbing material comprises epoxy filler.

With respect to claim 26, Kliman teaches a rotor assembly of an electric machine, comprising: A lamination layer configured to be axially stacked in a series of lamination layers to form a rotor core of an electric machine comprising: A lamination layer (Col. 4, Lines 22-30) configured to be axially stacked in a series of lamination layers to form a rotor core of an electric machine; the lamination layer forming at least a part of at least a part of at least one internal slot, each internal slot comprising an elongate portion and at least one expanded bulbous end portion disposed at one end of the elongate portion; a permanent magnet disposed within each internal slot and substantially, laterally restrained in the slot; and a load absorbing material received in the end portions of the internal slots between a portion of a wall forming the end of portion and the respective permanent magnet disposed in the internal slot, but it does not teach a portion of the lamination layer protruding at least partially into the internal slot between the elongate portion and the at least one expanded bulbous end. However, Steem teaches a portion of a lamination layer protruding at least partially into an internal slot between an elongate portion and an at least one expanded bulbous end (as seen in the Fig. above). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the magnet slot of Kliman in view of the protrusion as taught by Steem because, as was stated above, it provides a means for locating the magnets within the magnet slot (Steem, Col. 8, Lines 45-47).

With respect to claim 27, Kliman in view of Steem teaches the rotor assembly of claim 26, and Kliman teaches that the load absorbing material is epoxy.

***Response to Arguments***

Applicant's arguments with respect to claims 2-6,8,9,11,14-17 & 26-38 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 4486679, US 4525925, US 4806717, US 4922152 & US 5369325

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erik D. Preston whose telephone number is (571)272-8393. The examiner can normally be reached on Monday through Friday 8-5.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571)272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



05/08/2006



DARREN SCHUBERG  
SUPERVISORY PATENT EXAMINER  
TECHNICAL CENTER 2800